

M101 SERIES Windows 8 / Android Fully Rugged 10.1" Tablet



M101B ACCESSORIES

STANDARD ACCESSORIES



Adapter and Power Cord
Winmate Part Number:922D065W19V0

- 100-240VAC to 19VDC@3.42A
- Country specific power cords available



Capacitive Stylus
Model Name: FS-M101
Winmate Part Number:9B000000006Z

- 90mm / 3.5Phi
-  [FS-M101](#)



Standard Battery
Model Name: BS101
Winmate Part Number:98K000A0003R

- 7.4V / min. 5300 mAh Li-Polymer Battery, 2S1P
- Dimensions: 153 x 122 x 11 mm
- Weight: 276 g

 [BS101](#)

OPTIONAL ACCESSORIES



Desk Dock
Model Name: DD-M101
Winmate Part Number:98KT00A00007

- USB 2.0 x 4 (Rear x2, Side x2)
- LAN (10/100) / VGA / RS232
- 12-19V DC IN

 [DD-M101](#)



Vehicle Dock (without VGA output)
Model Name: VD-M101B
Winmate Part Number:98K000A0003L

- VESA Mounting support
- USB 2.0 x 4 (Rear x2, Bottom x2)
- LAN (10/100) / RS232
- GPS ANT SMA x 1
- 9-36V DC IN with 3-pin terminal block
- Easy insert and release with Key-Lock

 [VD-M101B](#)



Battery Charger
Model Name: BC-M101
Winmate Part Number:98KT00A0000F

- Dual-bay charging dock
- Power level LED indicators
- Buzzer to indicate battery is inserted
- Supports up to 3 set of dock interconnected

 [BC-M101-2](#)

 [BC-M101-4](#)

 [BC-M101-6](#)



Vehicle Charger
Winmate Part Number:9226065W19V0

- 11~32V DC IN
- 19V/ 3.42A DC OUT

 [Car Charger](#)



Smart Card Reader

Model Name: SC-M101
Winmate Part Number:98K000A0003U

- Compliant to ISO 7816 part 1,2 and 3
- Support ISO 7816 T=0, T=1 smart card
- LED Indicator for Card Reader status
- Easy to install and operate
- Dimensions: 107.97 x 80.39 x 12.40 mm



High Capacity Battery

Model Name: BL101
Winmate Part Number:98K000A0003P
*** Not support M101M4 Series**

- 7.4V / min. 10600 mAh Li-Polymer Battery, 2S2P
- Dimensions: 153 x 122 x 16.5 mm
- Weight: 474 g



Hand Strap

Model Name: HS-M101
Winmate Part Number:98K000A0003J

- Fixed with screws
- Adjustable for both battery sizes



UHF RFID Reader

Model Name: UHF-M101
Winmate Part Number:98K000A0004J

- With ThingMagic M6e-Micro module
- Support 865-868 MHz and 902-928 MHz
- Power trans. up to +30 dBm (1 Watt)
- Read-Range 3+ Meters
- Supports EPCglobal Gen 2 (ISO 18000-6C) protocol
- Easy to install and operate
- Dimensions: 108.08 x 98.79 x 10.0 mm



VESA Mount Kit

Model Name: VS-M101
Winmate Part Number:98K000A0003O

- 75x75 mm VESA Mount



Shoulder Strap

Model Name: SS-M101
Winmate Part Number:98K000A0003Q

- Fixed with screws
- Adjustable cross-body strap (85-165cm) with pad
- Weight: 94g



LAN Cable

Winmate Part Number:94I0080300K1
*** Not support M101M4 Series**

- For LAN from 30 pin extension port
- Length:10cm
- RJ45, female
- Gigabit Ethernet



Carry Bag

Model Name: CB-M101
Winmate Part Number:9B000000003J

- With Hand Carrier and Shoulder Strap
- Separated pocket for accessories



Micro HDMI Cable

Winmate Part Number:9491191190K1
*** Not support M101M4 Series**

- Micro HDMI (Male) to HDMI (Male)
- Length: 1.8M



RS232 Cable

Winmate Part Number:94G3090300K0
*** Not support M101M4 Series**

- For RS232 from 30 pin extension port
- Length:10 cm
- DB9 Serial RS232 Cable, female



Mobile Printer

Winmate Part Number:9B00000007B



- Model Name: MX20
- Print width: 1.89-inch(48mm)
- Drop & Fit label installation design
- IP54 water / dust resistant and 1.5M shock resistant
- Supports both wire (RS232 and USB ports)
- Long standby time up to 72 hours or 300 label cycles between charges



Mobile Printer

Winmate Part Number:9B00000007A

- Model Name: MX30
- Print width: 2.8-inch(72mm)
- Supports multiple label width & types
- Drop & Fit label installation design
- Water and dust resistant meeting IP54 standard
- Versatile interfaces with both wire (RS232 and USB) & wireless (Bluetooth) connectivity

